




Integrated wood-finish display 隱藏式木紋屏幕

隱藏式一體化木紋屏，息屏呈現自然木質外觀，宛如高檔實木裝飾；亮屏即顯示清晰畫面，實現「息屏為裝飾，喚醒即顯示」的一體化體驗，設計簡約高級，讓空間更純淨有序。


A concealed, integrated wood-grain display that presents a natural wood finish when off, resembling a premium solid wood decoration. When activated, it instantly delivers a clear display, creating a seamless shifting from decor to display.

Product Structure 產品結構

材質 Material (構成材料說明 Structure Configurations)



适贴盖板表面
Conformable Cover Glass Surface



适贴盖板背面
Conformable Cover Glass Back Surface

紋理與透過率可客製化 | Customizable Texture and Transmittance

木質紋理層是通過 5-12 層精密絲印疊加形成，並根據紋理的複雜程度決定絲印層數

The Wood texture layer is formed through 5-12 layers of precision screen printing, with the number of layers determined by the complexity of the texture

可根据项目需求定制透过率

Transmittance can be customized according to project requirements

聯絡我們
Contact Us



微信/WeChat



Line



WhatsApp

TEL: +86 134 2898 1303
E-mail: cao@gelivableglass.com

隱藏於木
Hidden

點亮即顯
Touch to Reveal

融入場景
Seamless

Applications 應用領域



豪華游艇
Luxury yacht



高檔酒店
High-end hotel



智能家居
Smart home

Extreme Environmental Reliability 超強環境可靠性



耐熱: 90°C / 1000 小時
Heat Resistance: 90°C for 1000 hours



耐濕: 60°C / 90%RH / 500 小時
Humidity Resistance: 60°C / 90% RH for 500 hours



耐寒: -40°C / 1000 小時
Cold Resistance: -40°C for 1000 hours



冷熱衝擊: -30°C-85°C, 各 30 分鐘循環測試, 無異常
Thermal Shock: -30°C-85°C, 30-minute cycles with no abnormalities



穩定性: 尺寸變化率 < 1%, 無氣泡、開裂、脫膠、色差等問題, 邊緣收縮 ≤ 0.5 mm
Dimensional Stability: <1% variation, with no bubbles, cracking, delamination, or color difference; edge shrinkage ≤ 0.5 mm

Key Features 產品特點



隱形設計, 一體化外觀
Seamless Concealed Design

精準透光控制
Precision Light Control



多場景定制能力
Flexible Customization

高兼容系統整合
System Integration Compatibility

了解企業
About Us



Chinese Website



English Website



Japanese Website



Module Website

深圳市夠力拉防眩光玻璃技術有限公司
Gelivable Glass (ShenZhen) Co. Ltd
東莞夠力拉科技有限公司
Gelivable (Dongguan) Co.,Ltd